



Designer - Manufacturer



WIDOOOR

Motorise your sliding doors



NEW

The first ever
connected door
motorisation solution!



Smooth-running, connected
door motorisation




Motorised, straight sliding system for wooden doors



WIDOOR

Wooden doors




CAPACITY PER DOOR	80 KG or 2x50 KG
PANEL THICKNESS	40 MM MAX
TRACK	ALUMINIUM
MOVEMENT	MOTORISED, STRAIGHT

Essential elements required for 1 motorized sliding system: A + B + C + E + F + G / For 2 doors: A + B + D + E + F + G

TRACKS AND BRACKETS	
A	11108/200 Alu-anodized track, 33 x 27 mm, drilled every 0.44 m. Length: 2 m
	11108/300 Ditto. Length: 3 m
B	11013 Sliding angle plate for wall fixing of the track (every 0.44 m.)
SLIDING KITS FOR WOODEN DOORS	
C	SAF80A-111W Kit for 1 single door (80 Kg max) - opening of 1.1 m. max including: - 2 rollers SAF (with precision bearings) + 2 plates - 1 drive set - 2 end stops + 1 lower guide - 1 spirit level (Buly®)
D	SAF80A-202W Kit for 2 double door (50 Kg max each) - opening of 2 m. max including: - 4 rollers SAF (with precision bearings) + 4 plates - 1 drive set - 4 end stops + 2 lower guide - 1 spirit level (Buly®)
WIDOOR MOTORS - WIRELESS OR WIRED	
E	K0000256 Motor WIDOOR wired Kit (supply without control accessories). Power supply 24V and control box are incorporated to the motor. - Require control accessories: wired switch or radar
	K0000266 Dito radio control 433.92 MHz
CONTROLS	
F	C0001310 An activation sensor, based on radar technology, safely opens the sliding doors and avoids overly long opening times thanks to the motion direction sensor.
	C0004780 Wireless switch, ideal for renovation: no cables to lay. For motors with 433.92 MHz wireless control.
	C0001290 Wired one-button switch for motors with wired control.
	C0001300 Wired contactless switch.
MAGNETIC LOCKS	
G	C0013750 Surface or flush-mounted magnetic lock. Holding force = 60 kg.
	C0013760 Surface-mounted magnetic lock. Holding force = 180 kg.
	C0013765 Flush-mounted magnetic lock Holding force = 180 kg.



SLIDING KIT




WIDOOR : an ideal motorisation solution for sliding timber or glass doors



- Max. weight: 1 door weighing 80 kg, or 2 doors weighing 50 kg each
- Settings can be accessed via a dedicated Bluetooth application
- The motor is mounted on a silent block to guarantee extremely silent operation
- The motor is operated using a switch (wireless or wired) or a radar sensor
- Easy to set up and run: self-learning function for limit switches
- Ideal for pocket doors
- Magnetic locks available as an option for greater security.
- Made in France, and comes with a 5-year warranty

Use your smartphone to operate your motorised door thanks to our Widoor app!



Open and close your motorised sliding door using your smartphone.



Regulate the opening and closing speeds of your sliding door as and when



Set your motorisation parameters to suit your needs: delay time before closing, lock, LED flash light...



Disponible sur
Google play



Disponible sur
App Store



MANTION SAS

7 rue Gay Lussac - 25000 BESANÇON, FRANCE

tel. +33 (0) 3 81 50 56 77

export@mansion.com